

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 03 1999

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JUN 06 1999

\*\*\*\*\*

The applicant LOCKWOOD INVESTMENT CO. LLC, hereby makes application for permission to change the Point of Diversion, Manner of Use and Place of Use of a portion of water heretofore appropriated under Permit No. 63190

\*\*\*\*\*

1. The source of water is UNDERGROUND
2. The amount of water to be changed 0.05 cubic feet per second
3. The water to be used for COMMERCIAL (Shop Building)
4. The water heretofore permitted for Mining and Dust Control
5. The water is to be diverted at the following point SW $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 16, T.19N., R.21E. M.D.M.; And from which point the northwest section corner of said section 16, bears N. 05° 04' 49" W. a distance of 2501.47 feet.
6. The existing permitted point of diversion is located within Same as Item No. 5 on Permit No. 63190. i.e. In the NE $\frac{1}{4}$  of the SW $\frac{1}{4}$  of Section 17, T.19N., R.21E., M.D.M. Tie: From the well, the West  $\frac{1}{4}$  Section Corner of said Section 17 bears North 75° 36' 15" West a distance of 1560.0 feet.
7. Proposed place of use The NE quarter, and all of the SE quarter lying north of the northerly right-of-way line of Interstate Highway 80, Section 17 T.19N., R.21E., M.D.M.
8. Existing place of use Same as Item No. 6 on Permit No. 63190. i.e. In a portion of the NE $\frac{1}{4}$  of the SW $\frac{1}{4}$ , of Section 17, T.19N., R.21E., M.D.M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works New Well, Pump Motor, and distribution line to place of use.
12. Estimated cost of works \$25,000.00
13. Estimated time required to construct works 30 days
14. Estimated time required to complete the application of water to beneficial use 90 days
15. Remarks: Water is to service Shop Building and toilet facilities. This application replaces #64828.

By James D. Parker  
s/James D. Parker  
Box 20760  
Reno, Nev 89515

Compared my/cmf dl/gl

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 63190 is issued subject to the terms and conditions imposed in said Permit 63190 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

Any application to change this permit will be subject to additional determination and evaluation as it is a change of a mining and dust control permit which by nature of its activity is a temporary use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 36.2 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

February 9, 2006

Proof of completion of work shall be filed on or before:

March 9, 2006

Water must be placed to beneficial use on or before:

February 9, 2007

Proof of the application of water to beneficial use shall be filed on or before:

March 9, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 9th day of February, A.D. 2005

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_